



ALABAMA
PUBLIC
HEALTH

Alabama Sexually Transmitted Diseases (STD) Report

January 2022 to March 2026

This document contains statistics of reportable STDs in Alabama from January 2022 to March 2026. The report presents the impact of Chlamydia, Gonorrhea, and Syphilis on Race/Ethnicity, gender, and age groups in Alabama.

The report shows STDs in the eight public health districts in the state. The status of STDs in counties within each district is listed to show the number of cases, percentage, and rates.

The recommended and alternative treatment of Chlamydia, Gonorrhea, and Syphilis by the Centers for Disease Control and Prevention (CDC) is presented in this report.

**Alabama Department of Public Health
Division of STD Control and Prevention**

**Contact: Anthony Merriweather, Division Director
Anthony.merriweather@adph.state.al.us
334-206-2765**

Alabama STD Reports - January through March 2026

Chlamydia Report	2023		2024		2025		Jan-Mar 2026*	
Race/Ethnicity	Cases	%	Cases	%	Cases	%	Cases	%
Black	14,687	44.6	14,708	47.7	14,418	50.7	3,413	52.6
White	5,841	17.7	5,254	17.0	4,743	16.7	1,056	16.3
Hispanic	816	2.5	746	2.4	495	1.7	106	1.6
Multi-race	130	0.4	121	0.4	57	0.2	6	0.1
Other/Unknown	11,442	34.8	10,029	32.5	8,746	30.7	1,909	29.4
Total	32,916	100.0	30,858	100.0	28,459	100.0	6,490	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%
Male	10,119	30.7	9,680	31.4	9,203	32.3	2,103	32.4
Female	22,753	69.1	20,832	67.5	18,957	66.6	4,333	66.8
Unknown	44	0.1	346	1.1	299	1.1	54	0.8
Total	32,916	100.0	30,858	100.0	28,459	100.0	6,490	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%
<10	15	0.0	12	0.0	9	0.0	1	0.0
10-14	307	0.9	255	0.8	261	0.9	49	0.8
15-19	9,123	27.7	8,713	28.2	8,605	30.2	2,080	32.0
20-24	12,038	36.6	10,823	35.1	9,819	34.5	2,254	34.7
25-29	5,490	16.7	5,274	17.1	4,726	16.6	1,023	15.8
30-34	3,072	9.3	2,918	9.5	2,485	8.7	536	8.3
35-39	1,382	4.2	1,389	4.5	1,288	4.5	267	4.1
40-44	712	2.2	678	2.2	619	2.2	127	2.0
45-54	482	1.5	569	1.8	439	1.5	94	1.4
55-64	205	0.6	176	0.6	150	0.5	38	0.6
≥65	51	0.2	40	0.1	51	0.2	19	0.3
Unknown	39	0.1	11	0.0	7	0.0	2	0.0
Total	32,916	100.0	30,858	100.0	28,459	100.0	6,490	100.0

Alabama STD Reports - January through March 2026

Gonorrhea Report	2023		2024		2025		Jan-Mar 2026*	
Race/Ethnicity	Cases	%	Cases	%	Cases	%	Cases	%
Black	6,548	56.2	5,313	60	5,639	61.9	1,295	61.2
White	1,803	15.5	1,304	14.8	1,328	14.6	277	13.1
Hispanic	91	0.8	70	0.8	64	0.7	18	0.9
Multi-race	58	0.5	61	0.7	19	0.2	4	0.2
Other/Unknown	3,143	27.0	2,048	23.3	2,062	22.6	523	24.7
Total	11,643	100.0	8,796	100.0	9,112	100.0	2,117	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%
Male	6,249	53.7	4,797	54.5	4,995	54.8	1,185	56.0
Female	5,391	46.3	3,945	44.8	4,064	44.6	928	43.8
Unknown	3	0.0	54	0.6	53	0.6	4	0.2
Total	11,643	100.0	8,796	100.0	9,112	100.0	2,117	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%
<10	10	0.1	4	0.0	2	0.0	0	0.0
10-14	82	0.7	61	0.7	72	0.8	11	0.5
15-19	2,382	20.5	1,783	20.3	2,189	24.0	521	24.6
20-24	3,673	31.5	2,669	30.3	2,766	30.4	618	29.2
25-29	2,160	18.6	1,607	18.3	1,466	16.1	363	17.1
30-34	1,429	12.3	1,104	12.6	1,086	11.9	235	11.1
35-39	795	6.8	650	7.4	660	7.2	170	8.0
40-44	448	3.8	365	4.1	361	4.0	91	4.3
45-54	403	3.5	343	3.9	307	3.4	70	3.3
55-64	195	1.7	164	1.9	151	1.7	27	1.3
≥65	50	0.4	41	0.5	51	0.6	11	0.5
Unknown	16	0.1	5	0.1	1	0.0	0	0.0
Total	11,643	100.0	8,796	100.0	9,112	100.0	2,117	100.0

Alabama STD Reports - January through March 2026

Primary & Secondary Syphilis Report	2023		2024		2025		Jan-Mar 2026*	
	Cases	%	Cases	%	Cases	%	Cases	%
Black	863	59.6	914	58	677	56.7	107	54.6
White	496	34.2	580	36.8	451	37.7	79	40.3
Hispanic	41	2.8	46	2.9	33	2.8	3	1.5
Multi-race	27	1.9	24	1.5	29	2.4	6	3.1
Other/Unknown	22	1.5	13	0.8	5	0.4	1	0.5
Total	1,449	100.0	1,577	100.0	1,195	100.0	196	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%
Male	969	66.9	1097	69.6	840	70.3	124	63.3
Female	480	33.1	480	30.4	355	29.7	72	36.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0
Total	1,449	100.0	1,577	100.0	1,195	100.0	196	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%
<10	0	0.0	0	0.0	0	0.0	0	0.0
10-14	1	0.1	2	0.1	1	0.1	2	1.0
15-19	66	4.6	54	3.4	38	3.2	5	2.6
20-24	229	15.8	199	12.6	143	12.0	26	13.3
25-29	271	18.7	275	17.4	196	16.4	35	17.9
30-34	258	17.8	300	19.0	185	15.5	32	16.3
35-39	200	13.8	251	15.9	196	16.4	35	17.9
40-44	143	9.9	164	10.4	148	12.4	18	9.2
45-54	162	11.2	189	12.0	171	14.3	25	12.8
55-64	95	6.6	97	6.2	87	7.3	9	4.6
≥65	24	1.7	46	2.9	30	2.5	9	4.6
Total	1,449	100.0	1,577	100.0	1,195	100.0	196	100.0

Alabama STD Reports - January through March 2026

Early Latent Syphilis Report	2023		2024		2025		Jan-Mar 2026*	
Race/Ethnicity	Cases	%	Cases	%	Cases	%	Cases	%
Black	703	68.0	776	67	575	61.2	94	61.8
White	275	26.6	301	26.2	313	33.3	47	30.9
Hispanic	27	2.6	41	3.6	30	3.2	6	3.9
Multi-race	21	2.0	25	2.2	14	1.5	4	2.6
Other/Unknown	8	0.8	7	0.6	7	0.7	1	0.7
Total	1,034	100.0	1,150	100.0	939	100.0	152	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%
Male	676	65.4	786	68.3	654	69.6	114	75.0
Female	358	34.6	364	31.7	285	30.4	38	25.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0
Total	1,034	100.0	1,150	100.0	939	100.0	152	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%
<10	0	0.0	0	0.0	0	0.0	0	0.0
10-14	2	0.2	0	0.0	0	0.0	0	0.0
15-19	42	4.1	40	3.5	0	0.0	5	3.3
20-24	154	14.9	151	13.1	26	2.8	14	9.2
25-29	218	21.1	218	19.0	119	12.7	28	18.4
30-34	196	19.0	226	19.7	152	16.2	18	11.8
35-39	148	14.3	172	15.0	154	16.4	27	17.8
40-44	95	9.2	109	9.5	158	16.8	18	11.8
45-54	105	10.2	131	11.4	106	11.3	23	15.1
55-64	55	5.3	84	7.3	117	12.5	14	9.2
≥65	19	1.8	19	1.7	75	8.0	5	3.3
Total	1,034	100.0	1,150	100.0	939	100.0	152	100.0

Alabama STD Reports - January through March 2026

Late Latent Syphilis Report	2023		2024		2025		Jan-Mar 2026*	
Race/Ethnicity	Cases	%	Cases	%	Cases	%	Cases	%
Black	783	61.8	986	61	971	61.4	134	60.9
White	399	31.5	516	31.9	495	31.3	74	33.6
Hispanic	45	3.6	80	4.9	68	4.3	5	2.3
Multi-race	22	1.7	30	1.9	24	1.5	2	0.9
Other/Unknown	17	1.3	8	0.5	23	1.5	5	2.3
Total	1,266	100.0	1,620	100.0	1,581	100.0	220	100.0

Gender	Cases	%	Cases	%	Cases	%	Cases	%
Male	757	59.8	1088	67.2	978	61.9	120	54.5
Female	509	40.2	532	32.8	603	38.1	100	45.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0
Total	1,266	100.0	1,620	100.0	1,581	100.0	220	100.0

Age (Years)	Cases	%	Cases	%	Cases	%	Cases	%
<10	0	0.0	0	0.0	0	0.0	0	0.0
10-14	0	0.0	1	0.1	0	0.0	0	0.0
15-19	53	4.2	36	2.2	41	2.6	9	4.1
20-24	168	13.3	188	11.6	171	10.8	20	9.1
25-29	215	17.0	253	15.6	239	15.1	41	18.6
30-34	213	16.8	252	15.6	252	15.9	34	15.5
35-39	181	14.3	241	14.9	228	14.4	28	12.7
40-44	120	9.5	196	12.1	174	11.0	17	7.7
45-54	169	13.3	236	14.6	229	14.5	35	15.9
55-64	106	8.4	160	9.9	164	10.4	25	11.4
≥65	41	3.2	57	3.5	83	5.2	11	5.0
Total	1,266	100.0	1,620	100.0	1,581	100.0	220	100.0

Alabama STD Reports - January through March 2026

Chlamydia Cases	2023			2024			2025			Jan-Mar 2026*				
	Northern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%		
Colbert	264	4.1	324.5	212	3.8	297.4	244	5.0	238.1	45	3.9			
Cullman	198	3.1		190	3.4		156	3.2		35	3.0			
Franklin	89	1.4		83	1.5		93	1.9		10	0.9			
Jackson	120	1.9		105	1.9		121	2.5		21	1.8			
Lauderdale	372	5.7		341	6.2		273	5.6		58	5.0			
Lawrence	260	4.0		178	3.2		74	1.5		22	1.9			
Limestone	409	6.3		334	6.0		364	7.4		91	7.9			
Madison	2601	40.1		630.4	2651		47.9	642.5		2631	53.5	637.7	667	57.5
Marion	43	0.7			59		1.1			45	0.9		7	0.6
Marshall	406	6.3			321		5.8			351	7.1		70	6.0
Morgan	1681	25.9	1042		18.8	527	10.7		121	10.4				
Winston	39	0.6	24		0.4	39	0.8		12	1.0				
Total	6482	100.0	561.9		5540	100.0	480.2		4918	100.0	426.3		1159	100.0

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Autauga	358	6.1	536.5	247	4.4	467.8	312	5.8	420.8	63	5.3			
Bullock	98	1.7		85	1.5		98	1.8		19	1.6			
Chambers	312	5.3		230	4.1		250	4.7		47	4.0			
Coosa	129	2.2		72	1.3		117	2.2		17	1.4			
Elmore	361	6.1		375	6.7		346	6.5		88	7.4			
Lee	983	16.7		857	15.2		771	14.4		177	14.9			
Lowndes	111	1.9		99	1.8		90	1.7		21	1.8			
Macon	193	3.3		149	2.6		155	2.9		35	2.9			
Montgomery	2728	46.5		1212.6	2874		51.0	1277.4		2640	49.4	1173.4	601	50.5
Russell	403	6.9			437		7.8			352	6.6		74	6.2
Tallapoosa	196	3.3	208		3.7	209	3.9		47	4.0				
Total	5872	100.0	794.9	5633	100.0	762.5	5340	100.0	722.9	1189	100.0			

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	113	3.5	859.4	99	3.3	810.5	93	3.5	746.5	21	3.3
Chilton	168	5.3		176	5.8		123	4.6		28	4.4
Fayette	63	2.0		46	1.5		46	1.7		11	1.7
Greene	77	2.4		73	2.4		63	2.3		11	1.7
Hale	147	4.6		121	4.0		141	5.3		28	4.4
Lamar	52	1.6		36	1.2		37	1.4		6	0.9
Perry	90	2.8		78	2.6		60	2.2		14	2.2
Pickens	137	4.3		129	4.3		98	3.7		18	2.8
Sumter	88	2.8		110	3.6		77	2.9		18	2.8
Tuscaloosa	2035	63.9		1924	63.5		1772	66.0		445	69.5
Walker	217	6.8	240	7.9	174	6.5	40	6.3			
Total	3187	100.0	693.7	3032	100.0	659.9	2684	100.0	584.2	640	100.0

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	6003	100.0	905.6	5630	100.0	849.3	5314	100.0	801.6	1191	100.0
Total	6003	100.0	902.2	5630	100.0	846.1	5314	100.0	798.6	1191	100.0

Alabama STD Reports - January through March 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	224	6.9	598.6	159	4.9	584.9	174	6.0	532.5	33	5.5
Calhoun	697	21.5		681	21.1		620	21.5		120	19.9
Cherokee	70	2.2		62	1.9		68	2.4		15	2.5
Clay	48	1.5		60	1.9		53	1.8		8	1.3
Cleburne	37	1.1		28	0.9		33	1.1		9	1.5
Dekalb	187	5.8	490.1	152	4.7	459.1	156	5.4	439.7	44	7.3
Etowah	506	15.6		474	14.7		454	15.7		99	16.4
Randolph	92	2.8		97	3.0		112	3.9		20	3.3
Shelby	751	23.2	786.0	689	21.3	721.1	569	19.7	595.5	131	21.7
St. Clair	258	8.0	459.7	311	9.6	637.2	233	8.1	515.2	50	8.3
Talladega	373	11.5		517	16.0		418	14.5		75	12.4
Total	3243	100.0	389.6	3230	100.0	388.0	2890	100.0	347.2	604	100.0

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	198	7.8	805.4	192	8.4	781.0	172	8.0	699.6	43	8.6
Butler	172	6.8	456.5	151	6.6	458.3	155	7.2	395.4	35	7.0
Coffee	254	10.0		255	11.1		220	10.2		65	13.0
Covington	171	6.7		137	6.0		177	8.2		32	6.4
Crenshaw	93	3.7		77	3.4		71	3.3		13	2.6
Dale	267	10.5		535.4	251		10.9	503.3		208	9.7
Geneva	109	4.3	775.4	124	5.4	685.0	99	4.6	641.7	24	4.8
Henry	129	5.1		98	4.3		67	3.1		24	4.8
Houston	841	33.1		743	32.4		696	32.4		138	27.5
Pike	306	12.0	923.4	266	11.6	802.7	285	13.3	860.1	72	14.4
Total	2540	100.0	661.7	2294	100.0	597.6	2150	100.0	560.1	501	100.0

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	904	39.7	356.6	849	40.1	334.9	852	43.1	336.1	163	36.7
Choctaw	61	2.7	1025.9	67	3.2	967.8	40	2.0	851.7	11	2.5
Clarke	165	7.2		124	5.9		143	7.2		39	8.8
Conecuh	79	3.5		64	3.0		73	3.7		26	5.9
Dallas	371	16.3		350	16.5		308	15.6		65	14.6
Escambia	202	8.9		249	11.8		190	9.6		57	12.8
Marengo	132	5.8		122	5.8		111	5.6		23	5.2
Monroe	116	5.1		83	3.9		98	5.0		18	4.1
Washington	100	4.4		108	5.1		66	3.3		25	5.6
Wilcox	148	6.5		101	4.8		98	5.0		17	3.8
Total	2278	100.0		530.6	2117		100.0	493.1		1979	100.0

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	3311	100.0	804.3	3382	100.0	821.6	3184	100.0	773.5	760	100.0
Total	3311	100.0	804.3	3382	100.0	821.6	3184	100.0	773.5	760	100.0

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	32916	100.0	644.3	30858	100.0	604.1	28459	100.0	598.4	28467	100.0
Total	32916	100.0	644.3	30858	100.0	604.1	28459	100.0	598.4	28467	100.0

Alabama STD Reports - January through March 2026

Gonorrhea Cases	2023			2024			2025			Jan-Mar 2026*				
Northern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Colbert	125	6.7	116.9	73	5.5	71.5	69	5.0	66.3	12	3.1			
Cullman	68	3.7		54	4.0		32	2.3		8	2.1			
Franklin	23	1.2		13	1.0		9	0.7		1	0.3			
Jackson	35	1.9		21	1.6		23	1.7		7	1.8			
Lauderdale	134	7.2		82	6.1		76	5.5		13	3.4			
Lawrence	84	4.5		23	1.7		18	1.3		4	1.0			
Limestone	110	5.9		82	6.1		89	6.5		38	9.8			
Madison	1024	55.1		248.2	803		60.1	194.6		853	62.1	206.7	262	67.7
Marion	14	0.8			11		0.8			10	0.7		1	0.3
Marshall	70	3.8			58		4.3			56	4.1		13	3.4
Morgan	166	8.9			115		8.6			117	8.5		27	7.0
Winston	4	0.2			1		0.1			21	1.5		1	0.3
Total	1857	100.0	161.0		1336	100.0	115.8		1373	100.0	119.0		387	100.0

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Autauga	130	5.7	147.9	83	4.9	83.5	96	5.8	102.6	22	6.5			
Bullock	24	1.1		20	1.2		22	1.3		3	0.9			
Chambers	86	3.8		40	2.4		44	2.7		21	6.2			
Coosa	48	2.1		6	0.4		35	2.1		4	1.2			
Elmore	128	5.6		115	6.9		131	8.0		16	4.7			
Lee	271	11.9		153	9.1		188	11.4		45	13.4			
Lowndes	44	1.9		41	2.4		32	1.9		7	2.1			
Macon	56	2.5		43	2.6		48	2.9		12	3.6			
Montgomery	1296	56.7		576.1	1014		60.4	450.7		900	54.6	400.0	179	53.1
Russell	132	5.8			133		7.9			92	5.6		20	5.9
Tallapoosa	70	3.1			30		1.8			59	3.6		8	2.4
Total	2285	100.0			309.3		1678			100.0	227.1		1647	100.0

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	40	3.2	359.8	37	4.2	251.5	31	4.0	225.4	8	5.0
Chilton	49	3.9		25	2.8		16	2.1		3	1.9
Fayette	23	1.8		19	2.1		13	1.7		1	0.6
Greene	35	2.8		27	3.0		14	1.8		4	2.5
Hale	69	5.5		41	4.6		54	6.9		11	6.9
Lamar	16	1.3		19	2.1		18	2.3		1	0.6
Perry	26	2.1		18	2.0		19	2.4		7	4.4
Pickens	49	3.9		23	2.6		28	3.6		6	3.8
Sumter	34	2.7		41	4.6		26	3.3		5	3.1
Tuscaloosa	854	68.4		597	67.4		535	68.6		102	63.8
Walker	53	4.2		39	4.4		26	3.3		12	7.5
Total	1248	100.0		271.6	886		100.0	192.8		780	100.0

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	2496	100.0	376.5	1958	100.0	295.4	2351	100.0	354.7	566	100.0
Total	2496	100.0	375.1	1958	100.0	294.3	2351	100.0	353.3	566	100.0

Alabama STD Reports - January through March 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	47	5.0	203.6	23	3.2	135.7	43	5.4	156.3	14	10.6
Calhoun	237	25.1		158	21.9		182	22.8		27	20.5
Cherokee	20	2.1		11	1.5		10	1.3		0	0.0
Clay	13	1.4		13	1.8		14	1.8		2	1.5
Cleburne	7	0.7		11	1.5		5	0.6		0	0.0
Dekalb	36	3.8	132.7	24	3.3	94.0	32	4.0	155.0	4	3.0
Etowah	137	14.5		97	13.5		160	20.0		15	11.4
Randolph	20	2.1		19	2.6		27	3.4		6	4.5
Shelby	204	21.6	213.5	161	22.3	168.5	144	18.0	150.7	30	22.7
St. Clair	82	8.7		72	10.0		60	7.5		7	5.3
Talladega	142	15.0	175.0	132	18.3	162.7	122	15.3	150.4	27	20.5
Total	945	100.0	113.5	721	100.0	86.6	799	100.0	96.0	132	100.0

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	102	11.6	414.9	89	13.5	362.0	64	11.7	260.3	15	12.7
Butler	55	6.2	145.6	31	4.7	115.0	32	5.9	77.3	8	6.8
Coffee	81	9.2		64	9.7		43	7.9		10	8.5
Covington	53	6.0		54	8.2		32	5.9		13	11.0
Crenshaw	31	3.5		32	4.9		8	1.5		1	0.8
Dale	80	9.1		57	8.7		63	11.5		2	1.7
Geneva	41	4.6	160.4	23	3.5	114.3	21	3.8	126.3	6	5.1
Henry	40	4.5		16	2.4		18	3.3		10	8.5
Houston	306	34.7	282.1	220	33.4	202.8	218	39.9	201.0	41	34.7
Pike	93	10.5	280.7	72	10.9	217.3	47	8.6	141.8	12	10.2
Total	882	100.0	229.8	658	100.0	171.4	546	100.0	142.2	118	100.0

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	257	34.7	101.4	180	30.5	71.0	222	40.5	87.6	53	33.8
Choctaw	20	2.7	345.6	20	3.4	290.3	8	1.5	271.0	2	1.3
Clarke	47	6.4		57	9.6		38	6.9		18	11.5
Conecuh	28	3.8		11	1.9		14	2.6		4	2.5
Dallas	125	16.9		105	17.8		98	17.9		19	12.1
Escambia	95	12.8		76	12.9		66	12.0		24	15.3
Marengo	58	7.8		56	9.5		31	5.7		10	6.4
Monroe	36	4.9		22	3.7		23	4.2		8	5.1
Washington	43	5.8		29	4.9		25	4.6		10	6.4
Wilcox	31	4.2		35	5.9		23	4.2		9	5.7
Total	740	100.0		172.4	591		100.0	137.6		548	100.0

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	1190	100.0	289.1	968	100.0	235.2	1068	100.0	259.5	259	100.0
Total	1190	100.0	289.2	968	100.0	235.2	1068	100.0	259.5	259	100.0

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	11643	100.0	227.9	8796	100.0	172.2	9112	100.0	178.4	2117	100.0
Total	11643	100.0	227.9	8796	100.0	172.2	9112	100.0	178.4	2117	100.0

Alabama STD Reports - January through March 2026

Primary & Secondary Syphilis Cases	2023			2024			2025			Jan-Mar 2026*	
	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Northern District											
Colbert	14	8.5	15.0	8	4.4	17.0	1	0.5	6.3	0	0.0
Cullman	6	3.7		2	1.1		8	3.8		6	18.8
Franklin	3	1.8		3	1.6		2	0.9		0	0.0
Jackson	7	4.3		7	3.8		5	2.4	2	6.3	
Lauderdale	10	6.1		12	6.6		9	4.2	9.3	1	3.1
Lawrence	2	1.2			0.0		3	1.4		1	3.1
Limestone	28	17.1		21	11.5		9	4.2		3	9.4
Madison	62	37.8		70	38.5		122	57.5	29.6	6	18.8
Marion	5	3.0		7	3.8		2	0.9		1	3.1
Marshall	16	9.8		12	6.6		10	4.7		1	3.1
Morgan	11	6.7		40	22.0		36	17.0	28.8	10	31.3
Winston	0	0.0		0	0.0		5	2.4		1	3.1
Total	164	100.0	14.2	182	100.0	15.8	212	100.0	18.4	32	100.0

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Autauga	22	7.0	16.9	21	5.0	14.7	12	5.0	10.4	0	0.0			
Bullock	1	0.3		24	5.7		0	0.0		0	0.0			
Chambers	3	1.0		2	0.5		3	1.3		1	3.1			
Coosa	2	0.6		1	0.2		1	0.4		2	6.3			
Elmore	24	7.6		74	17.5		41	17.2		4	12.5			
Lee	31	9.9		27	6.4		19	7.9		2	6.3			
Lowndes	6	1.9		5	1.2		1	0.4		0	0.0			
Macon	6	1.9		11	2.6		3	1.3		0	0.0			
Montgomery	187	59.6		83.1	238		56.3	105.8		146	61.1	64.9	18	56.3
Russell	24	7.6		16	3.8		9	3.8		9	3.8	4	12.5	
Tallapoosa	8	2.5		4	0.9		4	1.7		4	1.7	1	3.1	
Total	314	100.0		42.5	423		100.0	57.3		239	100.0	32.4	32	100.0

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	2	2.3	25.3	8	9.8	20.2	9	14.3	11.0	20	8.2
Chilton	1	1.1		8	9.8		5	7.9		14	5.7
Fayette	0	0.0		0	0.0		1	1.6		2	0.8
Greene	2	2.3		3	3.7		4	6.3		9	3.7
Hale	5	5.7		1	1.2		2	3.2		9	3.7
Lamar	1	1.1		2	2.4		1	1.6		4	1.6
Perry	0	0.0		5	6.1		3	4.8		8	3.3
Pickens	6	6.8		4	4.9		4	6.3		15	6.1
Sumter	3	3.4		1	1.2		5	7.9		10	4.1
Tuscaloosa	60	68.2		48	58.5		26	41.3		138	56.3
Walker	8	9.1		2	2.4		3	4.8		16	6.5
Total	88	100.0		19.2	82		100.0	17.8		63	100.0

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	292	100.0	44.0	260	100.0	39.2	160	100.0	24.1	29	100.0
Total	292	100.0	43.9	260	100.0	39.1	160	100.0	24.0	29	100.0

Alabama STD Reports - January through March 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	1	1.5	25.1	4	4.4	25.1	4	3.1	18.8	4	14.8
Calhoun	13	19.1		12	13.3		25	19.1		10	37.0
Cherokee	1	1.5		0.0	1		0.8	0		0.0	
Clay	2	2.9		2	2.2		2	1.5		0	0.0
Cleburne	1	1.5		1	0.0		0	0.0		1	3.7
Dekalb	3	4.4		4	4.4		7	5.3		0	0.0
Etowah	6	8.8		12	13.3		17	13.0		2	7.4
Randolph	1	1.5		1	1.1		1	0.8		0	0.0
Shelby	24	35.3		24	26.7		18	13.7		3	11.1
St. Clair	6	8.8		17	18.9		33	25.2		2	7.4
Talladega	10	14.7		13	14.4		23	17.6		5	18.5
Total	68	100.0		8.2	90		98.9	10.8		131	100.0

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Barbour	9	4.9	45.2	68	30.9	32.3	29	19.5	21.2	2	11.8			
Butler	6	3.3		2	0.9		7	4.7		0	0.0			
Coffee	14	7.6		16	7.3		15	10.1		1	5.9			
Covington	30	16.3		30	13.6		18	12.1		3	17.6			
Crenshaw	9	4.9		9	4.1		7	4.7		1	0.0			
Dale	39	21.2		24	10.9		14	9.4		1	5.9			
Geneva	17	9.2		10	4.5		21	14.1		2	11.8			
Henry	2	1.1		8	0.0		5	3.4		0	0.0			
Houston	49	26.6		35	15.9		23	15.4		6	35.3			
Pike	9	4.9		18	8.2		10	6.7		1	5.9			
Total	184	100.0		47.9	220		96.4	57.3		149	100.0	38.8	17	94.1

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Baldwin	37	33.3	14.6	37	42.5	14.6	28	35.4	11.0	5	29.4			
Choctaw	5	4.5		0	0.0		1	1.3		2	11.8			
Clarke	13	11.7		4	4.6		6	7.6		2	11.8			
Conecuh	3	2.7		3	3.4		1	1.3		0	0.0			
Dallas	22	19.8		19	21.8		6	7.6		1	5.9			
Escambia	13	11.7		12	13.8		27	34.2		2	11.8			
Marengo	12	10.8		2	2.3		2	2.5		2	11.8			
Monroe	2	1.8		2	2.3		2	2.5		1	5.9			
Washington	1	0.9		7	8.0		1	1.3		1	5.9			
Wilcox	3	2.7		1	1.1		5	6.3		1	5.9			
Total	111	100.0		25.9	87		100.0	20.3		79	100.0	18.4	17	100.0

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	228	100.0	55.4	233	100.0	56.6	162	100.0	39.4	30	100.0
Total	228	100.0	55.4	233	100.0	56.6	162	100.0	39.4	30	100.0

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	1449	100.0	28.4	1577	100.0	30.9	1195	100.0	23.4	196	100.0
Total	1449	100.0	28.6	1577	100.0	30.9	1195	100.0	23.4	196	100.0

Alabama STD Reports - January through March 2026

Early Latent Syphilis Cases	2023			2024			2025			Jan-Mar 2026*	
	Northern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases
Colbert	10	8.8	12.1	3	2.7	11.6	5	3.3	6.2	0	0.0
Cullman	5	4.4		7	6.4		6	4.0		1	4.3
Franklin	4	3.5		1	0.9		3	2.0		0	0.0
Jackson	2	1.8		2	1.8		4	2.7		1	4.3
Lauderdale	5	4.4		12	10.9		6	4.0		0	0.0
Lawrence	4	3.5		3	2.7		2	1.3		3	13.0
Limestone	18	15.9		12	10.9		12	8.0		3	13.0
Madison	50	44.2		48	43.6		95	63.3		9	39.1
Marion	2	1.8		5	4.5		3	2.0		0	0.0
Marshall	6	5.3		8	7.3		3	2.0		0	0.0
Morgan	7	6.2		9	8.2		8	5.3		5	21.7
Winston	0	0.0		0	0.0		3	2.0		1	4.3
Total	113	100.0	9.8	110	100.0	9.5	150	100.0	13.0	23	100.0

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Autauga	10	3.2	13.1	15	4.0	12.0	4	1.2	8.7	2	3.6			
Bullock	2	0.6		25	6.7		19	5.5		0	0.0			
Chambers	3	1.0		3	0.8		2	0.6		1	1.8			
Coosa	2	0.6		0.0	2		0.6	0		0.0				
Elmore	35	11.2		62	16.7		62	18.0		4	7.3			
Lee	24	7.7		22	5.9		16	4.6		2	3.6			
Lowndes	6	1.9		7	1.9		6	1.7		0	0.0			
Macon	11	3.5		12	3.2		5	1.4		1	1.8			
Montgomery	203	64.9		90.2	197		53.1	87.6		218	63.2	96.9	36	65.5
Russell	10	3.2		24	6.5		8	2.3		8	14.5			
Tallapoosa	7	2.2		4	1.1		3	0.9		1	1.8			
Total	313	100.0		42.4	371		100.0	50.2		345	100.0	46.7	55	100.0

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Bibb	2	1.6	35.8	14	17.5	16.9	2	4.7	11.4	1	5.9
Chilton	4	3.1		1	1.3		2	4.7		0	0.0
Fayette	1	0.8		2	2.5		0	0.0		1	5.9
Greene	10	7.8		4	5.0		3	7.0		0	0.0
Hale	5	3.9		3	3.8		0	0.0		0	0.0
Lamar	2	1.6		3	3.8		0	0.0		0	0.0
Perry	4	3.1		1	1.3		3	7.0		0	0.0
Pickens	4	3.1		7	8.8		1	2.3		0	0.0
Sumter	3	2.3		2	2.5		2	4.7		0	0.0
Tuscaloosa	85	66.4		40	50.0		27	62.8		15	88.2
Walker	8	6.3		3	3.8		3	7.0		0	0.0
Total	128	100.0		27.9	80		100.0	17.4		43	100.0

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	241	100.0	36.4	213	100.0	32.1	121	100.0	18.3	26	100.0
Total	241	100.0	36.2	213	100.0	32.0	121	100.0	18.2	26	100.0

Alabama STD Reports - January through March 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	3	3.4	25.1	1	0.9	23.0	1	1.1	15.7	0	0.0
Calhoun	18	20.2		29	25.2		19	21.1		0	0.0
Cherokee	1	1.1		0	0.0		2	2.2		0	0.0
Clay	0	0.0		1	0.9		0	0.0		0	0.0
Cleburne	4	4.5		0	0.0		1	1.1		0	0.0
Dekalb	5	5.6		4	3.5		3	3.3		0	0.0
Etowah	11	12.4		11	9.6		16	17.8		2	22.2
Randolph	2	2.2		10	0.0		4	4.4		0	0.0
Shelby	24	27.0		22	19.1		15	16.7		3	33.3
St. Clair	9	10.1		10	8.7		17	18.9		3	33.3
Talladega	12	13.5		27	23.5		12	13.3		1	11.1
Total	89	100.0	10.7	115	91.3	13.8	90	100.0	10.8	9	100.0

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	8	13.3	20.3	31	29.0	20.3	21	25.3	19.4	1	14.3
Butler	2	3.3		5	4.7		3	3.6		0	0.0
Coffee	3	5.0		13	12.1		9	10.8		3	42.9
Covington	5	8.3		5	4.7		5	6.0		0	0.0
Crenshaw	2	3.3		0	0.0		3	3.6		0	0.0
Dale	6	10.0		9	8.4		6	7.2		1	14.3
Geneva	1	1.7		9	8.4		10	12.0		0	0.0
Henry	5	8.3		2	1.9		0	0.0		0	0.0
Houston	22	36.7		22	20.6		21	25.3		2	28.6
Pike	6	10.0		11	10.3		5	6.0		0	0.0
Total	60	100.0		15.6	107		100.0	27.9		83	100.0

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	12	42.9	4.7	23	44.2	9.1	16	38.1	6.3	1	14.3
Choctaw	0	0.0		0	0.0		0	0.0		0	0.0
Clarke	3	10.7		5	9.6		2	4.8		1	14.3
Conecuh	0	0.0		1	1.9		4	9.5		1	14.3
Dallas	6	21.4		9	17.3		5	11.9		1	14.3
Escambia	2	7.1		8	15.4		9	21.4		2	28.6
Marengo	3	10.7		3	5.8		1	2.4		1	14.3
Monroe	0	0.0		2	3.8		2	4.8		0	0.0
Washington	1	3.6		0	0.0		1	2.4		0	0.0
Wilcox	1	3.6		1	1.9		2	4.8		0	0.0
Total	28	100.0		6.5	52		100.0	12.1		42	100.0

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	62	100.0	15.1	102	100.0	24.8	65	100.0	15.8	8	100.0
Total	62	100.0	15.1	102	100.0	24.8	65	100.0	15.8	8	100.0

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	1034	100.0	20.2	1150	100.0	22.5	939	100.0	18.4	152	100.0
Total	1034	100.0	20.4	1150	100.0	22.7	939	100.0	18.4	152	100.0

Alabama STD Reports - January through March 2026

Late Latent Syphilis Cases	2023			2024			2025			Jan-Mar 2026*	
	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Northern District											
Colbert	14	8.9	10.4	7	4.2	20.4	9	5.2	10.3	4	11.8
Cullman	2	1.3		7	4.2		7	4.0		3	8.8
Franklin	4	2.5		2	1.2		2	1.1		1	2.9
Jackson	4	2.5		2	1.2		4	2.3		0	0.0
Lauderdale	12	7.6		8	4.8		10	5.7		2	5.9
Lawrence	2	1.3		7	4.2		3	1.7		0	0.0
Limestone	36	22.8		17	10.1		15	8.6		4	11.8
Madison	43	27.2		84	50.0		89	51.1		15	44.1
Marion	9	5.7		3	1.8		11	6.3		0	0.0
Marshall	9	5.7		12	7.1		6	3.4		1	2.9
Morgan	22	13.9		18	10.7		15	8.6		3	8.8
Winston	1	0.6		1	0.6		3	1.7		1	2.9
Total	158	100.0		13.7	168		100.0	14.6		174	100.0

East Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Autauga	12	3.8	14.2	10	1.9	13.1	10	2.0	15.3	1	1.4			
Bullock	7	2.2		11	2.1		19	3.8		2	2.8			
Chambers	7	2.2		9	1.7		5	1.0		3	4.2			
Coosa	1	0.3		2	0.4		2	0.4		0	0.0			
Elmore	56	17.5		98	18.8		76	15.4		6	8.3			
Lee	26	8.1		24	4.6		28	5.7		7	9.7			
Lowndes	2	0.6		1	0.2		4	0.8		1	1.4			
Macon	9	2.8		9	1.7		13	2.6		1	1.4			
Montgomery	180	56.3		327	62.8		311	63.0		47	65.3			
Russell	19	5.9		26	5.0		23	4.7		4	5.6			
Tallapoosa	1	0.3		4	0.8		3	0.6		0	0.0			
Total	320	100.0		43.3	521		100.0	70.5		494	100.0	66.9	72	100.0

West Central District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%			
Bibb	10	9.7	24.4	13	13.1	20.6	14	14.6	18.1	2	50.0			
Chilton	4	3.9		8	8.1		7	7.3		0	0.0			
Fayette	1	1.0		2	2.0		6	6.3		0	0.0			
Greene	8	7.8		2	2.0		2	2.1		1	25.0			
Hale	4	3.9		6	6.1		2	2.1		0	0.0			
Lamar	2	1.9		1	1.0		1	1.0		0	0.0			
Perry	3	2.9		7	7.1		7	7.3		0	0.0			
Pickens	7	6.8		4	4.0		3	3.1		0	0.0			
Sumter	4	3.9		2	2.0		3	3.1		0	0.0			
Tuscaloosa	58	56.3		49	49.5		43	44.8		1	25.0			
Walker	2	1.9		5	5.1		8	8.3		0	0.0			
Total	103	100.0		22.4	99		100.0	21.5		96	100.0	20.9	4	100.0

Jefferson District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Jefferson	200	100.0	30.2	237	100.0	35.8	245	100.0	37.0	33	100.0
Total	200	100.0	30.1	237	100.0	35.6	245	100.0	36.8	33	100.0

Alabama STD Reports - January through March 2026

Northeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Blount	4	3.5	22.0	2	2.0	17.8	3	2.1	23.0	0	0.0
Calhoun	31	27.2		24	24.0		36	24.8		5	29.4
Cherokee	1	0.9		1	1.0		4	2.8		0	0.0
Clay	2	1.8		2	2.0		1	0.7		0	0.0
Cleburne	2	1.8			0.0		2	1.4		0	0.0
Dekalb	3	2.6		8	8.0		7	4.8		2	11.8
Etowah	17	14.9		13	13.0		19	13.1		2	11.8
Randolph	7	6.1		1	1.0		2	1.4		1	5.9
Shelby	21	18.4		17	17.0		22	15.2		2	11.8
St. Clair	10	8.8		4	4.0		8	5.5		1	5.9
Talladega	16	14.0		28	28.0		41	28.3		4	23.5
Total	114	100.0	13.7	100	100.0	12.0	145	100.0	17.4	17	100.0

Southeastern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Barbour	28	22.8	38.7	104	50.7	37.8	42	28.0	36.9	6	35.3
Butler	1	0.8		3	1.5		7	4.7		0	0.0
Coffee	9	7.3		20	9.8		14	9.3		2	11.8
Covington	1	0.8		10	4.9		3	2.0		0	0.0
Crenshaw	1	0.8		2	1.0		1	0.7		0	0.0
Dale	15	12.2		4	2.0		12	8.0		1	5.9
Geneva	7	5.7		5	2.4		6	4.0		0	0.0
Henry	2	1.6		1	0.5		4	2.7		1	5.9
Houston	42	34.1		41	20.0		40	26.7		5	29.4
Pike	17	13.8		15	7.3		21	14.0		2	11.8
Total	123	100.0		32.0	205		100.0	53.4		150	100.0

Southwestern District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Baldwin	29	40.3	11.4	33	40.2	13.0	21	29.2	8.3	7	36.8
Choctaw	1	1.4		0	0.0		5	6.9		0	0.0
Clarke	4	5.6		2	2.4		2	2.8		1	5.3
Conecuh	2	2.8		3	3.7		7	9.7		0	0.0
Dallas	11	15.3		8	9.8		4	5.6		3	15.8
Escambia	11	15.3		22	26.8		27	37.5		5	26.3
Marengo	6	8.3		3	3.7		2	2.8		0	0.0
Monroe	5	6.9		6	7.3		1	1.4		1	5.3
Washington	2	2.8		1	1.2		2	2.8		1	5.3
Wilcox	1	1.4		4	4.9		1	1.4		1	5.3
Total	72	100.0		16.8	82		100.0	19.1		72	100.0

Mobile District	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Mobile	176	100.0	42.8	208	100.0	50.5	205	100.0	49.8	24	100.0
Total	176	100.0	42.8	208	100.0	50.6	205	100.0	49.8	24	100.0

State Total	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%
Alabama	1266	100.0	24.8	1620	100.0	31.7	1581	100.0	30.9	220	100.0
Total	1266	100.0	24.9	1620	100.0	31.7	1581	100.0	30.9	220	100.0

Alabama STD Reports - January through March 2026

Reportable STD Treatment for Men, Non-pregnant, Pregnant, and Sex Partners

Chlamydia		
Non-pregnant, Men, and Sex Partners within 60 days	Doxycycline 100 mg PO BID x 7 days.	
Pregnant	Azithromycin 1 g PO in a single dose.	
Gonorrhea		
Non-pregnant, Pregnant, Men, and Sex Partners within 60 days	Person < 300 lb. Ceftriaxone 500 mg IM in a single dose.	
	Person ≥ 300 lb. Ceftriaxone 1g IM in a single dose.	
Syphilis		
<p>The availability of Bicillin L-A is extremely limited.</p> <p>Our directive is to reserve Bicillin treatment for syphilis solely for pregnant women and infants who have syphilis.</p>		
Non-pregnant, Men, and Sex Partners within 90 days	Primary Syphilis, Secondary Syphilis, or Early Latent Syphilis	Doxycycline 100 mg PO BID x 14 days.
	Syphilis Unknown Duration, Late Syphilis	Doxycycline 100 mg PO BID x 28 days.
Pregnant - Treat at least 30 days before delivery to prevent congenital syphilis	Primary Syphilis, Secondary Syphilis, or Early Non-Primary and Non-Secondary Syphilis	Benzathine penicillin 2.4 million units IM every week for two weeks at 5-7 days interval.
	Syphilis Unknown Duration, Late Syphilis, or Previously Treated before Pregnancy	Benzathine penicillin 2.4 million units IM every week for three weeks at 5-7 days interval.

Alabama STD Reports - January through March 2026

Public Health District Map





Accessing Records & Reporting in Alabama for Congenital Syphilis

Accessing Patient History

- To access a patient's Syphilis history (including previous titers and treatments), you may call the Alabama Department of Public Health's Bureau of Communicable Diseases at 334-206-5350.

What You Need for Access

- You will need the following information when calling about a patient's history:
 - Patient name
 - Date of Birth
 - SSN (if able)
 - Partner's name (if applicable)


Reporting Syphilis

- All physicians, nurses, medical examiners, hospital administrators, and lab directors are responsible for reporting Notifiable Diseases in Alabama. Syphilis is a Notifiable Disease.
- Report all cases of Syphilis (congenital or non-congenital) through the ADPH Website using the [REPORT CARD for Reportable Diseases/Condition](#).
- Report cases of Syphilis within 3 days of diagnosis.

What You Need for Reporting

You will need the following information when reporting:

- Patient Name
- Address
- Phone Number
- DOB
- Gender
- Race
- Ethnicity
- Marital Status
- SSN
- Patient's Payor Source
- Date of onset
- Date of diagnosis
- Date of exam
- Date of lab results
- Performing Lab
- Lab Accession number
- Specimen test site
- Qualitative results
- Quantitative results
- Treatment
- Date of treatment



Scan the QR code for quick access to the ADPH REPORT Card for Reportable Diseases/Condition.



Treatment of Chlamydia, Gonorrhea, & Trichomoniasis in Pregnant Women

Disease	Recommended Regimen	Alternative Regimen
Chlamydia	Azithromycin 1 g PO in a single dose	Amoxicillin 500 mg PO TID x 7 days
Gonorrhea	Person < 300 lb. Ceftriaxone 500 mg IM in a single dose Person ≥ 300 lb. Ceftriaxone 1 g IM in a single dose PLUS Azithromycin 1 g orally in a single dose <i>If Chlamydia Test Result Positive or Unknown</i>	
Trichomoniasis	Metronidazole 500 mg PO BID X 7 Days	Tinidazole 2 g PO in a single dose

Treatment of Sex Partners of Pregnant Women with Chlamydia, Gonorrhea, or Trichomoniasis

- Treat all sex partners promptly to prevent reinfection of the pregnant woman.
- Patient Partner Referral: ADPH offers free testing and treatment of sex partners to prevent reinfection, especially, of the pregnant woman.
- Expedited Partner Therapy (EPT) is an option for treating sex partners.
 - To ensure compliance, providers should use only single dose regimens for EPT.
 - Azithromycin 1 gm PO in a single dose for chlamydia, Cefixime 800 mg PO in a single dose for gonorrhea, and Metronidazole 2 g or Tinidazole 2 g PO in a single dose for trichomoniasis.
 - Do not offer EPT to sex partners of a patient diagnosed with syphilis or co-infected with HIV.
 - Do not offer EPT to patients less than 12 years old as there may be potential sexual abuse cases requiring investigation.
 - Do not offer EPT to a patient who shows that he/she cannot deliver the prescription or medication to the partner.
 - Do not offer EPT to partners of patients treated presumptively with no positive laboratory results.



Contact ADPH for questions and the closest county health department near your client:
334-206-5350 or email: std.info@adph.state.al.us





Syphilis Treatment in Pregnant Women

Because of missed opportunities resulting in a significant number of cases of congenital syphilis in Alabama, ADPH is recommending the following treatment regimens, including retreatment among women who were previously treated for syphilis before pregnancy.

All pregnant women with signs and symptoms and/or a positive syphilis test result must be treated, as detailed below, **at least 30 days before delivery** to prevent congenital syphilis:

- **Primary Syphilis, Secondary Syphilis, or Early Non-Primary and Non-Secondary Syphilis:** Benzathine penicillin 2.4 million units IM every week for two weeks at **5–7-day interval**.
- **Syphilis Unknown Duration, Late Syphilis, or Previously Treated for Syphilis before Pregnancy:** Benzathine penicillin 2.4 million units IM every week for three weeks at 5-7 days interval.

Patient Partner Referral: Partners need treatment to prevent reinfection in the pregnant woman.




- ADPH offers free syphilis testing and treatment for pregnant women and their partners.



ALABAMA
PUBLIC
HEALTH


Alabama Prenatal STD Testing



Test (All test must be FDA approved)	 Initial Prenatal Visit	 Third Trimester	 Labor and Delivery (L&D)
	Syphilis	All pregnant persons.	All pregnant persons at 28-32 weeks gestation.
HIV	All pregnant persons not previously confirmed as HIV infected.	All pregnant persons at 28-32 weeks gestation, regardless of risk factors unless previously confirmed as HIV infected.	All pregnant persons unless already confirmed as HIV infected.
Chlamydia	All pregnant persons.	All pregnant persons at 36 weeks gestation if: <ul style="list-style-type: none"> • The initial test was positive, • Signs or symptoms present, or • At high risk of infections 	Only if no prenatal care.
Gonorrhea	All pregnant persons.	All pregnant persons at 36 weeks gestation if: <ul style="list-style-type: none"> • The initial test was positive, • Signs or symptoms present, or • At high risk of infections 	Only if no prenatal care.
HBV	All pregnant persons.		All pregnant persons.
HCV	All pregnant persons.		Only if no prenatal care.

No Prenatal Care –Patient Presents at Delivery

Test	Labor and Delivery
Syphilis	All pregnant persons.
HIV	All pregnant persons unless already confirmed to be infected with HIV infection.
Chlamydia	All pregnant persons.
Gonorrhea	All pregnant persons.
HBV	All pregnant persons.
HCV	All pregnant persons.



Congenital Syphilis in Alabama: *Everything You Need to Know*

- **Discuss** detailed **sexual history** and **STD testing** with ALL pregnant patients.
- **Know** key **signs and symptoms** to look for:

Stage	Onset	Characteristics
Primary	2-3 weeks after infection	<ul style="list-style-type: none"> • Painless chancre (lesion or sore)
Secondary	4-10 weeks after chancre	<ul style="list-style-type: none"> • Diffuse body or palmar-plantar skin rash • Flat mucous patches • Elevated condylomata lata (warty plaques)
Early Latent	<1 year after infection	<ul style="list-style-type: none"> • Serological proof BUT asymptomatic (early, non-primary, non-secondary)
Late Latent	>1 year after infection	<ul style="list-style-type: none"> • Serological proof BUT asymptomatic (late or unknown duration)
Tertiary	2-50 years after infection	<ul style="list-style-type: none"> • Tumor-like gumma (necrotic granuloma) • Cardio, neuro, and ocular complications

- Alabama continues to experience record high increase in syphilis and congenital syphilis cases.
- Syphilis is a sexually transmitted disease (STD) caused by the bacterium *Treponema pallidum*. Syphilis spreads from person-to-person by direct contact with a syphilitic sore, known as a chancre. Chancres can occur in, on, or around the penis, vagina, anus, rectum, and lips or mouth. Syphilis can spread during vaginal, anal, or oral sex. Pregnant women with syphilis also can transmit the infection to their unborn child.
- Increase syphilis rate among men has a direct impact on the number of women and infants diagnosed with syphilis.
- Women are at the same risk of acquiring a new STD, such as syphilis, whether or not they are pregnant.
- Untreated syphilis can affect multiple organ systems (brain, nerves, eyes, heart, blood vessels, liver, bones, muscles, and joints).
- Untreated syphilis during pregnancy can cause miscarriage, stillbirth, prematurity, low birth weight, hydrops fetalis, or infant death shortly after birth.
- Congenital Syphilis is easy and inexpensive to prevent.
- Many signs and symptoms can go unnoticed, so regular STD screening before and during pregnancy is helpful for early diagnosis and treatment at least 30 days before delivery.
- Alabama Medicaid reimburses prenatal care providers for all STD Screening in Pregnant Women.

For more information, visit alabamapublichealth.gov/std/prenatal-std-testing.html.



We Can Prevent Congenital Syphilis

Let's Get Started Today!

ALABAMA PUBLIC HEALTH